# Our Produ

### 3Kw 12V 48V Lithium Battery 100ah 260ah Lifepo4 Solar Lithium Batteries

#### **Basic Information**

• Place of Origin: Guangdong, China

Brand Name: ENIKOLModel Number: ESK1226DMinimum Order Quantity: 2 sets

• Price: \$626.00/sets 2-40 sets

Packaging Details: Colorful box



#### **Product Specification**

Battery Type: Lithium Ion
Output Power Range: 0-5 KWh
Dimension (L\*W\*H): 380\*200\*310mm

• Weight: 36.7KG

System Type: Metal Simple Version

• Type: Split

Grid Connection: Off Grid, Hybrid Grid Rated Capacity: 260AH (3328WH)

Rated Voltage: 12.8V
Display: LCD
Cycle Life: ≥ 6000 Times
Warranty: 3 Years
Design Life: 20 Years
Charging Temperature: 0 To +55
Operating Temperature: -20 To +65



#### More Images











#### **Product Description**

3kw Manufacturer Low Price 12v Solar Battery Lifepo4 100ah 260ah Lithium Batteries For Solar Specification

item	value
Place of Origin	China
	Guangdong

Brand Name	ENIKOL			
Model Number	ESK-D			
Battery Type	Lithium Ion, LiFePO4, Other			
Rated Capacity	260AH (3328WH)			
Rated Voltage	12.8V			
Display	LCD			
Cycle life	≥ 6000 times			
Warranty	3 years			
Design Life	20 years			
Charging temperature	0 to +55			
Operating temperature	-20 to +65			
Shell Material	Black painted steel(optional)			
Other fuctions	Support series connection, bluetooth and battery heating (optional)			

- Attentions

  (1) Please check everything include spare parts are completed when you receive and open the package (2) Please read operation manual carefully and strictly follow it.

  (3) Please charge the new battery to full capacity before discharge for the first use.

  (4) Please take care to avoid over charge and over-discharge.

  (5) Please use the suitable charger for the lithium battery.

  (6) Please do not disassemble the battery without permission.

  (7) Please feel free to contact us for help when you meet any problem.

#### **Product Description**



### All round protection

6 kinds of safety electricity protection



Over temperature



Overvoltage



Overcharge



Low voltage alarm



Overdischarge



**Short Circuit** 





### **LiFePO4 APPLICATIONS**









Wheelchairs



Golf carts



Scissor Lift

### **RENEWABLE ENERGY STORAGE SYSTEMS**



Solar Panel Systems



Wind Power Systwms

#### LOCOMOTION & POWER FOR TRAVEL





Yacht



PHEV



### **Product Parameters**

0 • 0



### **OEM** and **ODM** services

Item	Specification						
Model	ESK-1213D	ESK1226D	ESK2413D	ESK2420D	ESK4820D		
Rated capacity	130Ah(1664WH)	260AH(3328WH)	130Ah(3328WH)	200AH(5120WH)	200AH(10240WH		
Rated Voltage	12.8V		25.6V		51.2V		
Charging limit voltage	14.6V		29.2V		58.4V		
Max charging current	50A-120A						
Max continuous discharging current	100A-200A						
Weight(KG)	19	3	6.5	40	82		
Display	LCD display						
Dimension (L* W * H) mm	330*200*220	380*2	200*310	530*320*210	530*400*320		
Design life	20 years						
Cycle life	≥6000 times						
Other functions	Support serial connection, Bluetooth and battery heating functions (optional						
Shell material	Black painted steel (optional)						
Charging temperature:	0 to + 55 ° C						
Operating temperature:	-20 to + 65° C						
Certificate	CE FCC UKCA UN38.3 MSDS						
Protection functions:	overcharge protection, over discharge protection, over-current protection, short circuit protection, over temperature protection and low voltage alarm.						

Customize the voltage, capacity and appearance according to your requirements, and also can use your authorized brand and trademark

### **Product Photograph**







### **Complete Product Certification**









## **Our Cooperation Partner**
































**ENIKOL** Damien New Energy Technology (Shenzhen) Co., Ltd.



